

SAFETY DATA SHEET

SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION

Product ID: 494955
Product Name: Zenatize Foam Disinfectant - 498-62-74424
Revision Date: Mar 21, 2023 **Date Printed:** Mar 21, 2023
Version: 3.0 **Supersedes Date:** Jan 29, 2020
Manufacturer's Name: Zenex International
Address: 1 Zenex Circle Cleveland, OH, US, 44146
Emergency Phone: 1-800-535-5053
Information Phone Number: (440)-232-4155
Fax:
Product/Recommended Uses: Disinfectant

SECTION 2) HAZARDS IDENTIFICATION

Classification

Gases Under Pressure - Liquefied
Gas Skin Corrosion - Category 1
Serious Eye Damage - Category 1

Pictograms



Signal Word

Danger

Hazardous Statements - Physical

H280 - Contains gas under pressure; may explode if heated.

Hazardous Statements - Health

H314 - Causes severe skin burns and eye damage.

Precautionary Statements - General

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.

Precautionary Statements - Prevention

P260 - Do not breathe mist, vapors or spray.
P280 - Wear protective gloves, protective clothing, eye protection and face protection.
P264 - Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P363 - Wash contaminated clothing before reuse.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 - Immediately call a POISON CENTER or doctor.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

P405 - Store locked up.

P410 + P403 - Protect from sunlight. Store in a well-ventilated place.

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

SECTION 3) COMPOSITION, INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
106-97-8	N-Butane	1% - 5%
10101-89-0	Trisodium Phosphate Crystals	1% - 5%
111-76-2	Butoxyethanol	1% - 5%
74-98-6	Propane	1% - 5%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

SECTION 4) FIRST-AID MEASURES

Inhalation

If overcome by vapor, move person to fresh air.

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin Contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Ingestion

Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Irritating to the eyes on contact. May cause stinging, redness and swelling of the eyes. May cause mild irritation. Prolonged and repeated contact may cause redness, burning, drying and cracking of the skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may result on skin absorption of potentially harmful amounts.

SECTION 5) FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2 or water spray.

Unsuitable Extinguishing Media

Use water spray or fog; do not use straight streams.

Specific Hazards in Case of Fire

Containers are under pressure. Temperatures above 130°F may cause cans to burst. Thermal decomposition may yield gases like carbon monoxide and carbon dioxide. Content under pressure keep away from heat and open flame. Keep away from heat, spark, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

SECTION 6) ACCIDENTAL RELEASE MEASURES

Methods for and material for containment and cleaning up

Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material. Clean contaminated surface thoroughly.

Recommended Equipment

Wear appropriate protective equipment (see Section 8).

Personal Precautions

CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See section 12 for Ecological Information.

SECTION 7) HANDLING AND STORAGE

General

Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Do not ingest. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.

Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

Storage Room Requirements

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures.
AEROSOL STORAGE LEVEL I (NFPA-30B).

SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection

Safety glasses to guard against splashing.

Skin Protection

Household type gloves.

Respiratory Protection

None required if used in a well-ventilated area .

Appropriate Engineering Controls

Use with adequate general or local exhaust ventilation.

Chemical Name	OSHA TWA (ppm)	OSHA TWA (mg/m3)	OSHA STEL (ppm)	OSHA STEL (mg/m3)	OSHA Tables (Z1, Z2, Z3)	OSHA Carcinogen	OSHA Skin designation	NIOSH TWA (ppm)
BUTANE								800
BUTOXY-ETHANOL	50	240			1		1	5
PROPANE	1000	1800			1			1000

Chemical Name	NIOSH TWA (mg/m3)	NIOSH STEL (ppm)	NIOSH STEL (mg/m3)	NIOSH Carcinogen	ACGIH TWA (ppm)	ACGIH TWA (mg/m3)	ACGIH STEL (ppm)	ACGIH STEL (mg/m3)
BUTANE	1900						1000 (EX)	
BUTOXY-ETHANOL	24				20			
PROPANE	1800						Simple asphyxiant (D), explosion hazard (EX)	

SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Density	8.37 lb/gal
Density VOC	0.58 lb/gal
% VOC	6.92%

Appearance	White aerosol foam
Odor Threshold	N.A.
Odor Description	Lemon, fresh scent
pH	12.5
Water Solubility	Completely soluble
Flammability	Temperatures above 120°F may cause cans to burst.
Vapor Pressure	N.A.
Flash Point	N.A. This is an aerosol for which Flame Projection is 0 inches.
Viscosity, Kinematic	N.A.
Lower Explosion Level	N.A.
Upper Explosion Level	N.A.
Vapor Density	N.A.
Relative Density	1.005 ± 0.005 concentrate
Melting Point/Freezing Point	N.A.
Boiling Point/boiling range	212°F/100°C Water
Decomposition Pt	N.A.
Auto Ignition Temp	N.A.
Evaporation Rate	Faster than butyl acetate

SECTION 10) STABILITY AND REACTIVITY

Stability

Stable.

Conditions to Avoid

Temperatures above 122°F (50°C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous Reactions/Polymerization

Temperatures above 130 °F may cause cans to burst with force. Hazardous polymerization does not occur.

Hazardous Decomposition Products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

SECTION 11) TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation

Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation

Causes serious eye irritation.

Carcinogenicity

No data available.

Germ Cell Mutagenicity

No data available.

Reproductive Toxicity

No data available.

Respiratory/Skin Sensitization

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Repeated Exposure

No data available.

Aspiration Hazard

No data available.

Acute Toxicity

No data available.

SECTION 12) ECOLOGICAL INFORMATION

Ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

No data available.

Bio-Accumulative Potential

See information below.

Chemical name	Partition coefficient
N-Butane 106-97-8	2.89
2-Butoxyethanol 111-76-2	0.81
Propane 74-98-6	2.3

Other Adverse Effects

No data available.

SECTION 13) DISPOSAL CONSIDERATIONS

Waste Disposal

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Pressurized container: Do not pierce or burn, even after use.

SECTION 14) TRANSPORT INFORMATION

	U.S. DOT Information	IMDG Information	IATA Information
UN number:	UN1950	UN1950	UN1950
Proper shipping name:	Aerosols	Aerosols	Aerosols, flammable
Hazard class:	2.1	2.1	2.1
Packaging group:	N.A.	N.A.	N.A.
Note / Special Provision:	(LTD QTY)	(LTD QTY)	(LTD QTY)

SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
106-97-8	N-Butane	1% - 5%	SARA312, VOC, TSCA, ACGIH
10101-89-0	Trisodium Phosphate Crystals	1% - 5%	SARA312, CERCLA
111-76-2	Butoxyethanol	1% - 5%	SARA313, CERCLA, SARA312, VOC, TSCA, ACGIH, OSHA
74-98-6	Propane	1% - 5%	SARA312, VOC, TSCA, ACGIH, OSHA

U.S. EPA Label information

EPA Pesticide registration number 498-62

EPA Statement


This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

SECTION 16) OTHER INFORMATION

HMIS

Health	/ 1
FLAMMABILITY	2
Physical Hazard	1
Personal Protection	B

NFPA



(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.